

Colorectal Cancer Screening Recommendations Not Met (Age 50-75)

Colorectal Cancer Screening Recommendations Not Met (Age 50-75)

- Most recent data (2014): 35% or about 193,600 King County adults age 50-75.
- Trend over time: 2008-14: falling
- Description: Had FOBT within 1 year, sigmoidoscopy within 5 years + FOBT within 3 years, or colonoscopy within 10 years
- Healthy People 2020 Goal: 30% or lower

Colorectal cancer screening recommendations not met (age 50-75), King County, 2011-2014 average

	Percent	Lower CI	Upper CI
King County (age 50-75)	36	34	38
AGE			
50-64	40	38	43
65-75	25	22	27
GENDER			
Male	38	36	41
Female	34	32	37
RACE/ETHNICITY			
AIAN	*	*	*
Asian	44	36	52
Black	40	31	50
Hispanic	65	55	74
Multiple	32	21	45
NHPI	*	*	*
White	33	31	35
HOUSEHOLD INCOME			
<\$15,000	59	51	66
\$15,000 to \$24,999	49	42	56
\$25,000 to \$34,999	38	31	45
\$35,000 to \$49,999	37	32	43
\$50,000 to \$74,999	35	30	40
\$75,000+	28	26	31
REGION			
East	35	32	39
North	27	21	34
Seattle	36	32	39
South	37	34	40
STATE			
Washington State	35	35	36

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer screening recommendations not met (age 50-75) King County, 2011-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

**Colorectal cancer screening recommendations not met (age 50-75) by health reporting areas, King County,
2011-2014 average**

	Percent	Lower CI	Upper CI
King County (age 50-75)	36	34	38
Auburn	39	30	49
..Auburn-North	43	32	56
..Auburn-South	33	20	50
Bear Creek/Carnation/Duvall	35	27	43
Bellevue	37	30	44
..Bellevue-Central	36	23	53
..Bellevue-NE	47	33	61
..Bellevue-South	27	18	40
..Bellevue-West	33	21	48
Black Diamond/Enumclaw/SE County	26	19	36
Bothell/Woodinville	15 §	7 §	30 §
Burien	41	30	53
Covington/Maple Valley	41	32	50
Des Moines/Normandy Park	35	24	49
East Federal Way	43	29	58
Fairwood	29	19	43
Federal Way	33	24	43
..Fed Way-Central/Military Rd	36	24	50
..Fed Way-Dash Point/Woodmont	28	17	41
Issaquah	27	17	41
Kenmore/LFP	25	15	38
Kent	41	33	50
..Kent-East	41	27	56
..Kent-SE	44	33	55
..Kent-West	35	19	57
Kirkland	30	23	38
..Kirkland	34	24	45
..Kirkland North	25	16	36
Mercer Isle/Pt Cities	24	14	37
Newcastle/Four Creeks	36	24	49
North Highline	*	*	*
Redmond	50	36	63
Renton	31	23	39
..Renton-East	29	17	46
..Renton-North	32	18	50
..Renton-South	31	21	43
Sammamish	37	28	48
SeaTac/Tukwila	46	34	60
Seattle	36	32	39
..Ballard	31	21	43
..Beacon/Gtown/S.Park	33	20	50
..Capitol Hill/E.lake	42	30	56
..Central Seattle	35	23	50
..Delridge	41	25	59
..Downtown	40	25	58
..Fremont/Greenlake	31	22	43
..NE Seattle	33	24	43
..North Seattle	38	28	49
..NW Seattle	35	26	45
..QA/Magnolia	27	19	36
..SE Seattle	35	23	49
..West Seattle	44	32	57
Shoreline	34	25	44
Snoqualmie/North Bend/Skykomish	40	29	53
Vashon Island	39	26	54

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer screening recommendations not met (age 50-75) by health reporting areas, King County, 2011-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Colorectal cancer screening recommendations not met (age 50-75) **King County, 2008-2014, three-year rolling averages**



Trends over time: King County (2008-14: falling); East KC (2008-14: flat); North KC (2008-14: falling); Seattle (2008-14: flat); South KC (2008-14: falling); Washington State (2008-14: falling)
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the
 Assessment, Policy Development & Evaluation Unit
 Public Health - Seattle & King County
 07/16